

**NEW XTS 142 MMA INVERTER**

With TIG Function (Single Voltage), complete with Strap



- 230V Input
  - Lightweight 4.5kg
  - 140A @ 20% Duty Cycle
  - Connections 10-25mm Dinse
  - Supplied with Electrode Holder, 2m Cable, 2m Earth Lead and Wire Brush
  - Over Voltage and Over Current Protection
  - Supplied with carry strap
  - Built in Electrode Anti Sticking
  - Ideal for use with Rutile Electrodes
- Manufactured to IP21S, ISO/IEC 60974-1, ISO/IEC 60974-6 and RoHS Compliant

**Stock Code**

XTS142  
XTS142-P1

**Description**

140A MMA Inverter 230V  
MMA Inverter with WP17V Torch Package

**Technical Information**

**Parameter**

**Value**

Output Current	20-140A
Input Voltage	230V 1P
Input Current (Max)	25A
Maximum Electrode Size	3.2mm
No Load Voltage	60V
Cable Connection	10-25 Dix
Duty Cycle	140A @ 20%
Fuse Rating	16A
KVA	3
Enclosure Protection	IP23S
Dimensions (mm)	290 x 185 x 220
Weight (kg)	4.5

**Accessory Information**

**Stock Code**

**Description**

CKE203	Electrode Holder Cable Kit x 3m
CKC203	Earth Cables Clamp Kit x 3m
WP17-V-12-2l	WP17 Scratch Start TIG Torch x 12.5ft
E700123	Argon Regulator Single Stage 2 Gauge
WP17AK	TIG Spares Kit in Plastic Case
XR935H	Everyday Light Reactive Welding Helmet
XTICC	Carry Case (Sold separately)

**Portable and Lightweight**

The XTS 142 is a highly portable entry level MMA welding machine ideal for occasional maintenance applications.

Electrodes up to 2.4mm can be used with ease.

**TIG Welding**

By fitting the optional TIG torch and coupling to a suitable gas supply the XTS 142 can be used for basic scratch start TIG welding and is suitable for welding steel and stainless steel.

**Generator Friendly**

The XTS 142 is able to cope with inputs which fluctuate by +/- 15% and can be used with the majority of generators.

The machine is housed in a rugged steel case. A carry case is available as an optional extra.